

► 235 Single Bag **iclean** / 235 BAG **iclean**

SWITCH FOR FORCED FILTER CLEANING

TANGENTIAL INLET FOR BETTER DUST SEPARATION FROM THE FILTER

STORAGE CONTAINER

BIGGER REAR WHEELS

DISPOSABLE BAGS **235 SINGLE BAG iclean**

LONGOPAC® CONTINUOUS BAG COLLECTION SYSTEM 22 METERS **235 BAG iclean**



2 BY-PASS COLLECTOR MOTORS




FULLY AUTOMATIC FILTER CLEANING
CONSTANT AND ENDLESS SUCTION



NR 2 HEPA FILTERS + PTFE MEMBRANE

WORK EFFICIENCY



TYPE OF APPLICATION

FINE DUST

TECHNICAL DATAS

iclean	235 SINGLE BAG	235 BAG
MOTORIZATION	nr 2 By-pass	nr 2 By-pass
POWER	2200 W	2200 W
VOLTAGE	230 V ⚡	230 V ⚡
FREQUENCY	50 Hz	50 Hz
FILTER SHAKER	AUTO	AUTO
FILTER CLASS	HEPA	HEPA
AIR FLOW	340 m ³ /h	340 m ³ /h
MAX DEPRESSION	230 mBar	230 mBar
HARVESTING SYSTEM	DISPOSABLE BAG	LONGOPAC®
DIMENSIONS	65X55 h 145 cm	65X55 h 145 cm
WEIGHT	45 Kg	45 Kg

VOLTAGES AVAILABLE: 120 V - 60 HZ • 220 V - 60 HZ • 110 V - 50 HZ



■ 235 Single BAG **iclean**

The model 235 SingleBag ICLEAN assembles a collection system with single bag, disposable, easily interchangeable.



Vacuums cleaners equipped with collection bags are suitable for any kind of industries where large quantities of dust must be vacuumed. The disposal of the collected material is facilitated by the use of collection bags that, once sealed, prevent contamination of the work environment during disposal and provide additional safety for the health of the operator.



■ 235 BAG **iclean**

THE 235 BAG ICLEAN model assembles the LONGOPAC® system uses a special continuous bag consisting of a very resistant plastic tube that is 22 metres long and placed under the collection hopper. The principal feature of this system is that the amount of waste determines the size and weight of the bag which can be sealed without contaminating the working environment, avoiding direct contact with the vacuumed material and the consequent dispersion of dust in the environment and inhalation by the operator.

