TRADITIONAL WINDOW CLEANING

SQUEEGEES





ErgoTec® NINJA WINDOW SQUEEGEE





- Ergonomic handle with 180° swivel
- Handle with TriLoc mechanism for secure hold of the channel
- Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Fits securely to pole with Locking Cone

Part No.	Angle	Size	Rubber	Pack
EN300	40°	30 cm	Soft	5
EN350	40°	35 cm	Soft	5
EN450	40°	45 cm	Soft	5
E3300	30°	30 cm	Soft	5
E3350	30°	35 cm	Soft	5
E3450	30°	45 cm	Soft	5



Choose between 40° and 30° head



The center position can be locked by pressing the lock button



Locking Mechanism to secure the swivel head in center position



New and improved end clip mechanism



ErgoTec® NINJA HANDLE



- Ergonomic swivel handle with 180° swivel
- TriLoc mechanism for secure hold of the channel
- Fits securely to pole with Locking Cone

Part No.	Angle	Pack
EN000	40°	5
E3000	30°	5

ErgoTec® NINJA SQUEEGEE CHANNEL



- Complete with soft rubber and SmartClip end clips.

 Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Perfect pressure distribution - Fast and easy rubber change

AC200	20 cm	Soft	5
AC250	25 cm	Soft	5
C300	30 cm	Soft	5

AC250	25 cm	Soft	5	
AC300	30 cm	Soft	5	
AC350	35 cm	Soft	5	
AC450	45 cm	Soft	5	
AC550	55 cm	Soft	5	
AC650	65 cm	Soft	5	
AC750	75 cm	Soft	5	
AC920	92 cm	Soft	5	
AC105	105 cm	Soft	5	

RUBBER INFO





- Shore hardness: 52 ± 3
- Ideal for colder temperatures
- Adjusts better to uneven surfaces



- Shore hardness: 60 ± 3
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces





sional soft rubber.

- Time saving performance without changing tool
- Fits securely to pole with Locking Cone
 Compatible with S-Channel and S-Channel Plus

Part No.	Size	Rubber	Material	Pack	
VP250	25 cm	Soft	Blended fabric*	10	
VP350	35 cm	Soft	Blended fabric*	10	
VP450	45 cm	Soft	Blended fabric*	10	

^{*} Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

ErgoTec® CARBON HANDLE



The lightest professional squeegee handle.

- 18 % lighter than bicomponent ErgoTec® squeegee handle
 Made of premium carbon fibre: T700, 7 layers; S-Spring: High value stainless steel 1.4310
- Anti-slip coating for reliable grip
 Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone

Part No.	Pack
UCH00	1

ErgoTec® SQUEEGEE





Stainless steel squeegee with bi-component handle.

- New handle with optimised S-spring
- Quick and simple channel change
- Fits securely to pole with Locking Cone
 Compatible with S-Channel and S-Channel Plus

Part No.	Size	Rubber	Pack	
ES250	25 cm	Soft	10	
ES350	35 cm	Soft	10	
ES450	45 cm	Soft	10	
ES550	55 cm	Soft	10	
ES25H	25 cm	Hard	10	
ES35H	35 cm	Hard	10	
ES45H	45 cm	Hard	10	
ES55H	55 cm	Hard	10	
ETG00		Handle	10	
ETX00	+2,5 cm	Handle XL	10	

ErgoTec® SWIVEL LOC HANDLE



Swivel squeegee head, freely adjustable and lockable.

- Problem solver for hard to-reach places.

 Advanced ergonomic bi-component handle for comfortable use
- Available in two head angles: 0° and 30°
- Compatible with S-Channel and S-Channel Plus Fits securely to pole with Locking Cone

Part No.	Version	Pack
LS000	0°	5
LA000	30°	5

S SQUEEGEE





Stainless steel squeegee with rubber coated handle.

- Solid handle designQuick and simple channel change with S-Spring
- Fits on telescopic pole
- Compatible with S-Channel and S-Channel Plus

Part No.	Size	Rubber	Pack	
SE250	25 cm	Soft	10	
SE350	35 cm	Soft	10	
SE450	45 cm	Soft	10	
SE25H	25 cm	Hard	10	
SE35H	35 cm	Hard	10	
SE45H	45 cm	Hard	10	
SG000		Handle	10	

Pro SQUEEGEE

Stainless steel squeegee with rubber coated handle.

- Solid handle design
- Quick release clip for fast and easy channel change
- Fits on telescopic poleCompatible with S-Channel and S-Channel Plus

Part No.	Size	Rubber	Pack	
PR250	25 cm	Soft	10	
PR350	35 cm	Soft	10	
PR450	45 cm	Soft	10	
PR000		Handle	10	

TRADITIONAL WINDOW CLEANING

SQUEEGEE RUBBER & CHANNELS



GREEN SQUEEGEE RUBBER

Squeegee rubber with outstanding sliding ability.

- Streak-free results
- Reliable, long-lastingProfessional quality Made in Europe

Part No.	Size	Pack	
RR25G	25 cm	10	
RR35G	35 cm	10	
RR45G	45 cm	10	
RR55G	55 cm	10	



Pro SQUEEGEE RUBBER



25 rubbers per storage box. Professional quality.

- Highly durable and efficient
- Sharp edges enable thorough wiping for superior finish
- Sturdy plastic storage box keeps rubbers clean and straight

Part No.	Size	Rubber	Pack	
RP350	35 cm	Soft	25	
RP450	45 cm	Soft	25	
RP35H	35 cm	Hard	25	
RP45H	45 cm	Hard	25	





S-CHANNEL PLUS



Stainless steel channel with variable positioning options.

Complete with soft rubber.

- Curved ends support the rubber at the edges for improved cleaning close to frame
- Strong and durable
- Easy change of rubber
- Fits ErgoTec®-, S- and Pro-squeegees

Part No.	Size	Rubber	Pack
UC300	30 cm	Soft	10
UC350	35 cm	Soft	10
UC450	45 cm	Soft	10



Pro SQUEEGEE RUBBER






Complete with soft and hard rubber.

- Strong and durable
- Easy change of rubber
 Fits ErgoTec®-, S- and Pro-squeegees

	,	,		
Part No.	Size	Rubber	Pack	
NE250	25 cm	Soft	10	
NE300	30 cm	Soft	10	
NE350	35 cm	Soft	10	
NE450	45 cm	Soft	10	
NE550	55 cm	Soft	10	
NE15H	15 cm	Hard	10	
NE25H	25 cm	Hard	10	
NE30H	30 cm	Hard	10	
NE35H	35 cm	Hard	10	
NE45H	45 cm	Hard	10	
NE55H	55 cm	Hard	10	



- Highly durable and efficient
- Sharp edges enable thorough wiping for superior finish

Part No. Soft	Part No. Hard	Size	Pack	
RR200	RR20H	20 cm	10	
RR250	RR25H	25 cm	10	
RR350	RR35H	35 cm	10	
RR450	RR45H	45 cm	10	
RR550	RR55H	55 cm	10	
RR650	RR65H	65 cm	10	
RR750	RR75H	75 cm	10	
RR920	RR92H	92 cm	10	
RR990	RR99H	106 cm	10	





GC BRASS SQUEEGEE



Classic style brass handle.

Brass channels, complete with soft rubber and plastic clips.

- Sturdy and durable Firm channel fit with screws
- Fits on telescopic pole

Part No.	Size	Info	Pack
GS000		Brass Handle	10
GC350	35 cm	Brass Channel	10
GC450	45 cm	Brass Channel	10



UniTec SQUEEGEE



Convenient metal squeegee, good value.

- Sturdy
- Firm channel fit with screws
- Fits on telescopic pole

Part No.	Size	Info	Pack
OW250	25 cm	Complete	10
OW350	35 cm	Complete	10
OW450	45 cm	Complete	10
OG000		Handle	10



UniTec SQUEEGEE LIGHT



Extra light squeegee for glass or flat surfaces in household area. – Ideal for smooth surfaces

- Fits on telescopic pole
- Lightweight, fixed aluminium channel

Part No.	Size	Info	Pack	
US300	30 cm	Complete	10	



HIGHWAY RUBBER

Cut to fit 15 m rubber roll. Household quality.

- Convenient and practical
- Good value deal
- Cardboard box with easy rubber access

Part No.	Size	Pack
HIXXL	15 m	1



Plastic Clips

For improved hold of rubber in the channel. Available in solid plastic or brass. - Effectively tensions and secures squeegee rubber - Detachable one at a time

- Practical sturdy storage box

Part No.	Info	Pack	
PCLIP	Plastic Clips 40/Box	10	
	Brass Clips 100/Box		



Ergo HANDLE EXTENSION

Additional 20 cm reach for cleaning glass.

- Offers additional reach for safer cleaning without ladders
- Fits to all cone tools

Part No.	Size	Pack
HH000	26 cm	10



Belt fastening safety tool to secure a squeegee.

- Prevents squeegee from dropping
- Flexible and solid, with inner cord made from kevlar
- Secure hold

Part No.	Size	Pack	
SI N1N	55 cm	10	

TRADITIONAL WINDOW CLEANING

SQUEEGEES

PRODUCT OVERVIEW SQUEEGEES



Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks and budget.

	C (in)	BUDGET	HAN	DLE	SWIVEL		CHANNEL			RUB	BER*		
			Material	Fits to Locking Cone	Tension adjust- ment	Fitting	Sizes	Material	Туре	Soft	Hard	Fitting	
ErgoTec® NINJA	The ultimate high performance squeegee, featuring TriLoc mechanism for reliable hold of channel and freely adjustable and lockable swivel head. Available in 30° and 40° angle version.	***	2c		Metal screw needs coin or screw- driver	TriLoc: clip press & release	20 – 105 cm	T6 Alu- minium	Molded	~	-	Side Clips on Ninja Channel	ı
ErgoTec® Carbon	Superlight, hand-crafted carbon fibre handle. 18 % lighter than bicomponent ErgoTec® squeegee handle.	***	Carbon fibre		-	S-Spring: press & release	-	-	-	-	-	Press S-Spring	ı
← ErgoTec®	Stainless steel squeegee with bi-component handle. Advanced ergonomic design for comfortable use every day. Quick and simple channel change.	***	2c		-	S-Spring: press & release	15 – 55 cm	Stainless Steel	Molded	~	~	Press S-Spring	
ErgoTec® SwivelLoc	Swivel squeegee head, freely adjustable and lockable – a problem solver for hard-to-reach areas. Available in 2 head angles – straight and 30° version, ideal for working at height.	***	2c		Plastic screw turn 0° position fixable with button	0° screwed plate 30° S-Spring	only handle 0° / 30°	Stainless Steel	Only handle	-	-	0°: screw off plate 30° press S-Spring	
S	Solid, stainless steel squeegee with rubber coated handle. S-Spring for easy & quick channel and rubber change.	**	Metal + Rubber sleeve		-	S-Spring: press & release	15 – 55 cm	Stainless Steel	Molded	~	~	Press S-Spring	
Pro	Standard Squeegee for daily work. Clip for easy & quick channel and rubber change. Rubber sleeve for comfortable grip.	**	Metal + Rubber sleeve		-	Clip lock easy release	15 – 55 cm	Stainless Steel	Molded	~	~	Open clip	
Visa- Versa®	Squeegee and washer in one tool. Great time saving choice for clean- ing at height – no need to change the tool!	**	Plastic Finger grooves		-	S-Spring: press & release	15 – 55 cm	Stainless Steel	Molded	~	~	Press S-Spring	ı
GC	Classic style brass squeegee. Sturdy and durable.	*	Brass		-	Screwed Plate needs screwdriver	35 – 45 cm	Brass	Extruded	✓	-	Screw off plate	
UniTec	Basic metal squeegee. Quick channel release.	*	Metal		-	Squeezed by button	25 – 45 cm	Stainless Steel	Extruded	~	-	Turn button	
UniTec Light	Lightweight squeegee for glass or flat surfaces, ideal for house- hold use.	*	Plastic		-	Channel hold by handle	30 cm	Alu- minium	Extruded	~	-	Fixed to channel	

^{*} Soft and Hard Rubber are interchangeable and available to order separately.

PURCHASING GUIDE

1. BUDGET: How long do you work, how large is the area, how many extra features do

you need?

2. HANDLE: Weight, Feature, Ergonomics

3. SWIVEL FUNCTION: Do you need to access hard to reach areas? Do you work with telescopic poles? **4. CHANNEL:** How large is the surface to be cleaned? How important is a quick channel change?

5. RUBBER: Soft or hard rubber? Professional quality or is standard quality enough?



This product securely locks on ErgoTec® Locking cone.



This product fits on **UNGER** Poles without safety locking mechanism.







